


ARRESTALL[®]

Datasheet



POWERED BY

REDClean[®] Media

Design | Engineering | Manufacturing | Maintenance | Spare Parts


aafintl.com




Bringing clean air to life.[®]

Direct Drive Fan Performance


AR1




AR3




AR2



AR4



AR6



ARRESTALL®

Available Options and Accessories

Options

Sprinkler system
Alternate bag media
Bin vent design
Dust drawer design (on specific sizes)
Dust cart design (on specific sizes)
Explosion vents
Integral HEPA/ASHRAE filters
Remote machine relay controls

Accessories

Explosion protection equipment
Custom paint systems

ArrestAll® with Silencer Sound Data

ArrestAll® Model	Sound Level (dBA @ 3 ft/914 mm)
AR1-3	75
AR2-5	79
AR2-7.5	77
AR2-10 AR3-10 AR4-10	77
AR3-15L AR4-15L	82
AR4-15H	82
AR4-20 AR6-20	81
AR6-25	81

Dimensions and Specifications

Model	Style*	Number of Cartridges	Filter Area		Height		Width		Depth		Approximate Weight	
			Sq. Ft.	Sq. M.	Inches	mm	Inches	mm	Inches	mm	Lbs.	Kgs.
AR 1-3	FB	1	132	12.3	127	3,226	37-3/16	945	35	889	615	279
AR 1-3	BV	1	132	12.3	68	1,727	37-3/16	945	35	889	465	211
AR 1-3	DD	1	132	12.3	86	2,184	37-3/16	945	35	889	550	249
AR 1-3	DC	1	132	12.3	108	2,743	37-3/16	945	35	889	660	299
AR 2-5	FB	2	264	24.5	134-7/8	3,426	37-3/16	945	58-1/2	1,486	935	424
AR 2-5	BV	2	264	24.5	71-1/2	1,816	37-3/16	945	58-1/2	1,486	680	308
AR 2-5	DC	2	264	24.5	111-1/2	2,832	37-3/16	945	58-1/2	1,486	1,020	463
AR 2-7.5	FB	2	264	24.5	134-7/8	3,426	37-3/16	945	58-1/2	1,486	990	449
AR 2-7.5	BV	2	264	24.5	71-1/2	1,816	37-3/16	945	58-1/2	1,486	735	333
AR 2-7.5	DC	2	264	24.5	111-1/2	2,832	37-3/16	945	58-1/2	1,486	1,070	485
AR 2-10	FB	2	264	24.5	134-7/8	3,426	37-3/16	945	58-1/2	1,486	1,000	454
AR 2-10	BV	2	264	24.5	71-1/2	1,816	37-3/16	945	58-1/2	1,486	745	338
AR 2-10	DC	2	264	24.5	111-1/2	2,832	37-3/16	945	58-1/2	1,486	1,080	490
AR 3-10	FB	3	396	36.8	141-1/8	3,585	93-1/16	2,364	35	889	1,250	567
AR 3-10	BV	3	396	36.8	73-1/16	1,856	93-1/16	2,364	35	889	800	363
AR 3-10	DC	3	396	36.8	113	2,870	93-1/16	2,364	35	889	1,300	590
AR3-15L	FB	3	396	36.8	141-1/8	3,585	93-1/16	2,364	35	889	1,430	8,986
AR3-15L	BV	3	396	36.8	73-1/16	1,856	93-1/16	2,364	35	889	980	445
AR3-15L	DC	3	396	36.8	113	2,870	93-1/16	2,364	35	889	1,480	671
AR 4-10	FB	4	528	49.1	134-3/16	3,408	65-1/8	1,654	60	1,524	1,400	635
AR 4-10	BV	4	528	49.1	73-1/8	1,857	65-1/8	1,654	60	1,524	1,030	467
AR 4-15L	FB	4	528	49.1	134-3/16	3,408	65-1/8	1,654	60	1,524	1,500	680
AR 4-15L	BV	4	528	49.1	73-1/8	1,857	65-1/8	1,654	60	1,524	1,130	513
AR 4-15H	FB	4	528	49.1	135	3,429	65-1/8	1,654	60	1,524	1,500	680
AR 4-15H	BV	4	528	49.1	73-7/8	1,876	65-1/8	1,654	60	1,524	1,130	513
AR 4-20	FB	4	528	49.1	136-3/8	3,464	65-1/8	1,654	60	1,524	1,530	694
AR 4-20	BV	4	528	49.1	75-1/4	1,911	65-1/8	1,654	60	1,524	1,150	522
AR 6-20	FB	6	792	73.6	143-3/8	3,642	92-7/8	2,359	60	1,524	1,960	889
AR 6-20	BV	6	792	73.6	75-1/4	1,911	92-7/8	2,359	60	1,524	1,443	655
AR 6-25	FB	6	792	73.6	151-7/16	3,847	92-7/8	2,359	60	1,524	2,070	939
AR 6-25	BV	6	792	73.6	83-5/16	2,116	92-7/8	2,359	60	1,524	1,550	703

Notes

1. Weight does not include any accessories such as explosion vents or controls.
2. See AAF sales drawings for complete dimensions.
3. Filter Area is based on the standard wide filters.
4. Depth does not include fan silencer or transition.

* FB= Funnel Bottom, BV= Bin Vent, DD= Dust Drawer, DC= Dust Cart



Bringing clean air to life.®

A light gray world map is centered in the background of the page, showing the continents of North America, South America, Europe, Africa, Asia, and Australia.

AAF International

Filtration has been at the heart of our business since 1921 and thanks to the high caliber of our products and services, we are trusted by many of the world's leading power and industrial companies. We provide our customers with the expertise, the solutions and the best available filtration technology to increase operational performance. Bringing clean air to life, our products provide the highest levels of indoor air quality, the lowest environmental emissions and the optimum safety conditions for employees and the wider community.

aafintl.com

American Air Filter Company, Inc. has a policy of continuous product improvement. This document is provided for informal review and establishes no commitment or contract. We reserve the right to change any designs, specifications and products without notice, and we make no warranties regarding the subject matter of this document. Any use, copying or distribution of this document or any part of this document without our permission is prohibited.